














ACCESS CONTROL

Photo	Specification	Model
RFID Smart Cards		
	125Khz em Slim proximity with serial number	35.00
	13.56Mhz Mifare 1k Compatiable Card	49.00
	125 Khz EM Key Tag,colour Blue , Black , Gray	35.00
Access Control Wiegand 26bit / 34bit RFID Reader		
	13.56 Mhz Mifare 26N-MF USB desktop Reader	1,820.00
	125Khz USB 26N-EM Desktop Reader	1,460.00
	13.56 Mhz Mifare Wiegand 26-MF Reader, black	1,460.00
	125 Khz EM Wiegand 26-EM Reader,black	1,210.00
	Read 125 Khz Proximity ID card number Wiegand 602E output 26 bit	2,910.00
RFID Standalone Waterproof Access Control		
	RFID Single door 208B-W Waterproof Access Control	2 640.00

	RFID Single door 208B-W waterproof Access Control	3,040.00
	RFID Metal Single door 208B-NW Access Control (Non-waterproof)	2,790.00
	RFID metal Single door 210-W Access control non Waterproof	2,670.00
	RFID Touch Keypad 225 Access Control, 125Khz EM, 1000/4000 User capacity, Can connect wiegand reader	3,400.00
Electric Locks		
	Model Item: Y101 Time-delay Lock Size : 205x34x40 mm Working voltage: 12VDC Current: Standby 100MA / working 900MA Function: Time-delay &NO/NC Power to unlock, 2PIN Feature:Low temperature	1,940.00
	Standard Type electronic Stripe (NC/NO) Model Item: Y132 Lock Size: 250x25x31mm Voltage: DC12V Current: 400mA Fail safe / Fail secure (optional) Suitable For: Wooden Door, Metal Door, PVC Door	1,540.00
	Standard Type electronic Stripe (NC/NO) Model Item: Y130 Lock Size: 110x25x31mm Voltage: DC12V Current: 400mA Fail safe / Fail secure (optional) Suitable For: Wooden Door, Metal Door, PVC Door	1,700.00
	Electric Cabinet Lock, Y302A Size: 54.5Lx41Wx28H(mm), designed to electronically secure cabinets and drawers. The addition of a keypad or remote control of your choice provides true access control and convenience of use	1,090.00
	EM Lock , Y350-T LED Indicator (350kg) Lock size : 250x53x27mm Holding force : 350KG Working voltage : 12/24V DC Working current : 400/200mA Fail safe : With LED, time delay	4,190.00
	EM Lock , Y350-S LED Indicator (350kg) Lock size : 250x53x27mm Holding force : 350KG Working voltage : 12/24V DC Working current : 400/200mA Fail safe : NO/NC/COM , Feedback Signal	3,890.00
	Surface mounted magnetic lock (500kg) Lock size : 125x98x36mm, Holding force : 500KG Working voltage : 12/24V DC, Working current : 400/200mA Fail safe : Unlock when power on, with LED Guarantee : More than 200,000 Times	5,830.00

	ZL Bracket Size : Z 185x60mm + L 267x76mm Y350ZL , Suitable for : 350KG magnetic lock	1,700.00
	ZL Bracket Size : Z 185x60mm + L 267x76mm Y500ZL, Suitable for : 500KG magnetic lock	3,040.00
Infrared Sensor No touch Exit Button/Stainless Steel / Aluminium Exit Button		
	No touch Door Release Exit Button, K2A: 115*40mm ; K2B: 86*86mm	1,210.00
	No touch Door Release Exit Sensor K9B K9B: 86*86mm	1,940.00
	White Color No touch Door Release Exit Sensor K9C: 115*40mm	1,940.00
	NO Smart slim Metal Release button with Backbox , Size : K14 , 32mmX83mmX25mm	740.00
	EB-06 Door Release	760.00
	Plastic panel Exit Button 86*86mm, NO, K1	430.00
	Key switch with Stainless steel K8	1,700.00

Cenite se izrazeni vo denari so presmetan DDV.
Cenovnikot e validen od 10.09.2018 godina.

|